

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

- 1 (previously presented): A method for pre-fetching data from a memory, comprising the
5 steps of:
initializing a counter value;
pre-fetching a predetermined data from the memory and subtracting a first value from the
counter value each time pre-fetching is activated;
adding a second value to the counter value when a cache hit occurs;
10 comparing the counter value with a first threshold value; and
when the counter value is smaller than the first threshold value, stopping pre-fetching data
from the memory.
- 2 (original): The method of claim 1, wherein when the pre-fetching is stopped, the
15 counter value is blocked from being decreased by the first value.
- 3 (original): The method of claim 2, wherein when the pre-fetching is stopped and the
cache hit occurs, the second value is added to the counter value.
- 20 4 (original): The method of claim 3, wherein when the pre-fetching is stopped and the
counter value is larger than a second threshold value, pre-fetching data from the memory
is restarted.
- 5 (original): The method of claim 4, wherein the second threshold value is larger than the
25 first threshold value.
- 6 (original): The method of claim 1, wherein the second value is an integer multiple of the

first value.

7 (previously presented): A method for pre-fetching data from a memory, comprising the steps of:

- 5 initializing a counter value;
pre-fetching a predetermined data from the memory and adding a first value to the counter value each time pre-fetching is activated;
subtracting a second value from the counter value when a cache hit occurs;
comparing the counter value with a first threshold value; and
10 when the counter value is larger than the first threshold value, stopping pre-fetching data from the memory.

8 (original): The method of claim 7, wherein when the pre-fetching is stopped, the counter value is blocked from being increased by the first value.

15

9 (original): The method of claim 8, wherein when the pre-fetching is stopped and the cache hit occurs, the counter value is decreased by the second value.

10 (original): The method of claim 9, wherein when the pre-fetching is stopped and the counter value is smaller than a second threshold value, pre-fetching data from the memory is restarted.

20

11 (original): The method of claim 10, wherein the second threshold value is smaller than the first threshold value.

25

12 (original): The method of claim 7, wherein the second value is an integer multiple of the first value.

Appl. No. 10/711,792
Amdt. dated September 06, 2007
Reply to Office action of July 03, 2007

13-42 (cancelled).